

- 10L
- 35L
- 70L



**HuProTec**

HUMAN PROTECTION TEC  
SWITZERLAND

**STAY HYDRATED  
STAY SUSTAINABLE  
PURE WATER  
FROM THIN AIR**



**Air water making machine**

# HPT70

ATMOSPHERIC  
WATER GENERATORS



No Water



Fresh Water



No Waste  
Water Discharge



## INTRODUCTION OF PRODUCT SERIES

- One machine with multiple functions, dehumidification, purification and direct drinking
- High-efficiency compressor, surging power, stable output, no fear of long-term operation
- Primary effect filter + HEPA + activated carbon triple air purification
- PAC composite filter element + RO + rear activated carbon quadruple purification, 0.0001 micron precision filtration
- Water storage tank + tap dual ultraviolet sterilization function, 99% sterilization rate
- **70L/day water** speed, suitable for most families and small groups
- LCD display, filter replacement reminder, TDS value display
- Extraction of water from the air to produce water without external water sources
- The child lock switch is set to prevent burns from misoperation
- Vientiane roller, easy to move

# Innovative Technology Air to Water



HuProTec  
HUMAN PROTECTION TEC  
SWITZERLAND



No water  
required



plug and play



TDS value  
display



timed  
sterilization



pure and  
direct drinking



no wastewater



HuProTec  
HUMAN PROTECTION TEC  
SWITZERLAND

# Technology changes life

No water required - Plug and play - RO reverse osmosis



Triple air filtration  
Double ultraviolet sterilization  
Quadruple reverse osmosis purification


# What is an air-to-air watermaker?

No need for external water connection, condensing air as raw material to produce water. After multi-layer purification and filtration. The result is healthy drinking water



# One of the nine advantages: Three-stage air filtration

Primary filtration layer, HEPA, activated carbon triple filtration. Effectively removes airborne bacteria, viruses, dust and other Harmful substances




# The second of the nine advantages: Quadruple reverse osmosis purification

PAC composite cartridge+RO+post-activated carbon



# The third of the nine advantages: Double ultraviolet sterilization

Dual UV sterilization for storage tank + outlet faucet  
99% sterilization rate



# The fourth of the nine advantages

## No water source required

The water molecules contained in the air are extracted, filtered and sterilized to meet drinking water standards.



# The fifth of the nine advantages: One machine for multiple uses

Water purifier/purifier/dehumidifier/drinking water dispenser in one, strong function. Great, sucking the air to make water in the process, and purifying the air at the same time.

Condense the water molecules in the air into liquid and get rid of moisture.





HuProTec  
HUMAN PROTECTION TEC  
SWITZERLAND

**The sixth of the nine advantages:**

## **Ice and heat TDS value display**

Dual use of ice and heat, adjustable  
water temperature,  
water quality TDS value display



# The seven of the nine advantages: Child lock switch

Child lock switch setting to prevent misuse of scalding



# The eight of the nine advantages: Vientiane pulleys Easy to move

Suitable for field camping, hotels, restaurants, ships, Parks, scenic spots, hospitals, construction sites, mines, offshore drilling platforms, livestock and poultry farms and other areas



**camping in the wild**




**Office drinking water**



**Drinking water for kindergartens**



**Plant drinking water**



**Drinking water for banks**



**Hotel Drinking Water**



**Scenic drinking water**



**Drinking water for hospitals**

Nine of nine advantages:  
40-70L/day water production speed  
(Different temperature and humidity)

Equivalent to 3 buckets of bottled water  
Suitable for most households and small groups

40 - 70 L EVERYDAY

(Different temperature and humidity)



# Product Parameters

Product Name	Air Water Maker
Rated Voltage	220V~50HZ
Rated power	800W
maximum power	2800W
Heating power	2000W
Water production	Temperature 30° humidity 80%, 70 liters/day Temperature 30° humidity 50%, 45 liters/day
low-grade noise	≤40db(A)
Product Size	430*370*1260mm
Packing size	500*440*1430mm
Net Weight	55kg
Gross Weight	65kg

## Large LCD display

Water temperature/TDS value display  
Touch key control



## Reverse osmosis filtration

H13 grade air filter +  
Three-stage RO filtration

## Vientiane Roller

Vertical wheels on the bottom  
Easier to move





# HuProTec

HUMAN PROTECTION TEC  
SWITZERLAND